

SECTION: 28

TOWNSHIP: 19N

RANGE: 13E

STATE ENGINEER OFFICE
WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well EARTH JOURNEY Owner's Well No. _____
Street or Post Office Address P.O. BOX 485
City and State QUESTA, N.M. 87556

Well was drilled under Permit No. RG-61033 and is located in the:

- a. $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SW of Section 28 Township 19N Range 13E N.M.P.M.
- b. Tract No. _____ of Map No. _____ of the _____
- c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in TAOS County.
- d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor J.H. MAHONEY CONST. License No. WD962

Address HC 73 Box 52 R00, N.M. 87743

Drilling Began 3-8-95 Completed 3-9-95 Type tools AIR ROTARY Size of hole 7³/₄ in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 203 ft.

Completed well is shallow artesian. Depth to water upon completion of well 34 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
41	48	7	TAN SANDY-GRAVELLY CLAY-BOULDERS	1
145	155	10	" " " " "	2
188	200	12	" " " " "	2

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
6 ⁵ / ₈ "	.188 STEEL	WELD	42	203	205	STRATEX	40	60
							160	200

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				
6	11	7 ³ / ₄	50# VOLCLAY		POUR

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by: _____
State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

Date Received 3/14/95

FOR USE OF STATE ENGINEER ONLY

Quad _____ FWL _____ FSL _____

File No. RG-61033 Use D/S Location No. 19N.13E.28.331

SUMMARY P. 1. 05

