

SECTION: 3

TOWNSHIP: 22N

RANGE: 9E

STATE ENGINEER OFFICE
WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well Alfredo Martinez Owner's Well No. RG 59582
Street or Post Office Address P.O. BOX 218
City and State Dixon, NM 87527

Well was drilled under Permit No. RG 59582 and is located in the:

- a. NE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 9 Township 22N Range 9E N.M.P.M.
- b. Tract No. _____ of Map No. _____ of the _____
- c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in Rio Arriba County.
- d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Oasis Well Drilling License No. WD# 790

Address 1002 Bellas Lane Espanola, NM 87532

Drilling Began 5-14-94 Completed 5-19-94 Type tools mud rotary Size of hole 6 1/2 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 130 ft.

Completed well is shallow artesian. Depth to water upon completion of well 94 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
100	130	130	brown sand & gravel	5

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
5" Boh 40	PVC		0	130	130	—	100	130

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by: _____

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

State Engineer Representative

FOR USE OF STATE ENGINEER ONLY

Date Received 2/16/95 Quad _____ FWL _____ FSL _____

File No. RG-59582 Use Dom Location No. 22N-09E-03-222

only orig. stamped in SF

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		
0	50	50	brown sandy clay & boulders
50	100	50	brown sandy clay
100	130	30	brown sand & gravel

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Gary Peters

 Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.